



Hammer Drills

KAESER Hammer Drills
Your one-stop-shop.

Power through concrete and stone



Impressive drilling and hammering performance



Durable and simple design



Exceptional versatility – perfect for use in mining, construction, quarrying and industrial applications



From model BH11 available with power blowing system for blowing out of the drill hole

Technical specifications

	Model	Blow frequency	Air consumption *)	Chuck – Shank		Weight	Impact force	Weighted sum acceleration value **)
		per min	m ³ /min			kg	Joules	m/s ²
Grip	BH 8	3660	0.5	S 19 x 82.5	a)	8.6	8.5	15.4
	BH 8	3660	0.5	S 22 x 82.5	a)	8.6	8.5	15.4
	BH 11	2910	1.1	S 22 x 108	b)	15.5	19.0	22.0
T-grip	BH 16	2400	1.6	S 22 x 108	b)	18.9	30.0	19.0
	BH 21	2740	2.1	S 22 x 108	b)	24.4	40.0	17.7

Vibration-damped

T-grip	BH 16 V	2440	1.6	S 22 x 108	b)	22.9	30.0	10.6
--------	---------	------	-----	------------	----	------	------	------

*) At 5 bar ***) As per ISO28927-10, measured at 5 bar a) = Retaining spring b) = Retaining catch
Appropriate bits are separately available: Monoblock bit, cone drill rod, core bit

Hose lubricator (1.4l):

Recommended accessory for compressors without tool lubricators, or for compressors with integrated tool lubricator if the distance to the tool exceeds 20m, or if there is a height difference to the tool.



KAESER COMPRESSORS Australia Pty. Ltd.

Locked Bag 1406 – Dandenong South – Vic. 3164 – 45 Zenith Road – Dandenong – Vic. 3175
Phone: +61 39791 5999 – Fax: +61 39791 5733 – www.kaeser.com – E-mail: info.australia@kaeser.com

KAESER COMPRESSORS NZ Limited

PO BOX 301261 – Albany – Auckland 0752 – 18B Tarndale Grove – Albany – Auckland 0632
Phone +64 9 941 0499 – www.kaeser.com – E-mail: info.newzealand@kaeser.com